# Glass Faceplates

Glass faceplates allow you to coordinate, accent, and blend your lighting controls with your décor, and experience a new way of expressing style and taste.

Features

- Glass faceplates feature square corners and beveled edges.
- Can be used in conjunction with HomeWorks® QS architectural seeTouch® keypads or GRAFIK Eye® QS seeTouch® architectural keypads.
- Compatible with all Lutron® designer opening products including keypads, dimmers and accessories.
- Can be used with Pico® Wireless Controllers.
- Wallplates are screwless, seamless and have no visible hardware; the front plate securely snaps onto the alignment adapter plate.

Colors Available:

CWH
Clear Glass with
White Paint

seeTouch® Glass Faceplate
Architectural Non-Insert Style

Designer Glass Faceplate
Architectural Style

seeTouch® Glass Faceplate
Architectural International
Frameless Style

Pico® Glass Faceplate

Note: Products shown on this page are for faceplates only. Devices are sold separately.

Job Name:	Model Numbers:
Job Number:	

369756d 2 09.14.16

Model Numbers: seeTouch® Glass Faceplate

Architectural Non-Insert Style

Model Number	Description
LFGR-W1BN-XXX*	1 Button
LFGR-W2BN-XXX*	2 Button
LFGR-W2BSN-XXX*	2 Button
LFGR-W3BN-XXX*	3 Button
LFGR-W3BSN-XXX*	3 Button
LFGR-W4BSN-XXX*	4 Button
LFGR-W5BN-XXX*	5 Button
LFGR-W5BTN-XXX*	5 Button
LFGR-W6BN-XXX*	6 Button
LFGR-W7BN-XXX*	7 Button
LFGR-W2BRLN-XXX*	2 Button with Raise/Lower
LFGR-W3BRLN-XXX*	3 Button with Raise/Lower
LFGR-W3BSRLN-XXX*	3 Button with Raise/Lower
LFGR-W5BRLN-XXX*	5 Button with Raise/Lower
LFGR-W6BRLN-XXX*	6 Button with Raise/Lower
LFGR-W3SN-XXX*	3 Scene with Raise/Lower
LFGR-W4SN-XXX*	4 Scene with Raise/Lower
LFGR-W1RLDN-XXX*	Dual Group with Raise/Lower
LFGR-W2RLDN-XXX*	Dual Group with Dual Raise/Lower
LFGR-W3BDN-XXX*	Dual Group

* "XXX" in the model number represents color/finish code.
See **Colors Available** below.

LFGR-W1BN LFGR-W2BN LFGR-W2BSN LFGR-W3BN LFGR-W3BSN

LFGR-W4BSN LFGR-W5BN LFGR-W5BTN LFGR-W6BN LFGR-W7BN

LFGR-W2BRLN LFGR-W3BRLN LFGR-W3BSRLN LFGR-W5BRLN LFGR-W6BRLN

LFGR-W3SN LFGR-W4SN LFGR-W1RLDN LFGR-W2RLDN LFGR-W3BDN

Colors Available:

CWH
Clear Glass with
White Paint

For multi-gang faceplates contact:
Lutron® Customer Service
1.888.LUTRON1 / +1.610.282.3800
custsvc@lutron.com

Note: Products shown on this page are for faceplates only. Devices are sold separately.

**⟡LUTRON**® SPECIFICATION SUBMITTAL   Page

Job Name:	Model Numbers:
Job Number:	

369756d 3 09.14.16

Model Numbers: seeTouch® Glass Faceplate

Architectural International Frameless Style

LFGI-2B-F-XXX*	2 Button
LFGI-3B-F-XXX*	3 Button
LFGI-4B-F-XXX*	4 Button
LFGI-5BRL-F-XXX*	5 Button with Raise/Lower
LFGI-6BRL-F-XXX*	6 Button with Raise/Lower
LFGI-7BRL-F-XXX*	7 Button with Raise/Lower
LFGI-8BRL-F-XXX*	8 Button with Raise/Lower
LFGI-10BRL-F-XXX*	10 Button with Raise/Lower

* "XXX" in the model number represents color/finish code. See **Colors Available** below.

Colors Available:

CWH
Clear Glass with
White Paint

**Note:** Products shown on this page are for faceplates only. Devices are sold separately.

LFGI-2B-F

LFGI-3B-F

LFGI-4B-F

LFGI-5BRL-F

LFGI-6BRL-F

LFGI-7BRL-F

LFGI-8BRL-F

LFGI-10BRL-F

Job Name:	Model Numbers:
Job Number:	

## Model Numbers: Designer Glass Faceplate

Architectural Style

|	
LFGR-1-XXX*	1 Gang
LFGR-2-XXX*	2 Gang
LFGR-3-XXX*	3 Gang

* "XXX" in the model number represents color/finish code.
See **Colors Available** below.

LFGR-1-XXX   LFGR-2-XXX

LFGR-3-XXX

## Model Numbers: Pico® Glass Faceplate

LFGP-S1-XXX*	1-Column
LFGP-S2-XXX*	2-Column

* "XXX" in the model number represents color/finish code.
See **Colors Available** below.

Colors Available:

CWH
Clear Glass with
White Paint

LFGP-S1-XXX   LFGP-S2-XXX

Job Name:	Model Numbers:
Job Number:	

Specifications

Regulatory Approvals

- LFGR- products are UL® Listed to US and Canadian safety requirements UL 514D / CSA C22.2 42.1-00
- LFGI- and LFGP- meet IEC requirements and are CE marked
- LFGP- products are cULus listed

Environment

- Ambient operating temperature: 32 °F to 104 °F (0 °C to 40 °C)
- Maximum 90% non-condensing relative humidity
- Indoor use only

Product-Specific Features

- Faceplates have no visible means of attachment
- Heat strengthened glass
- Lamination layer will contain the glass in the event of a break

Warranty

- 1 Year Limited Warranty. For additional Warranty information, please visit: http://www.lutron.com/TechnicalDocumentLibrary/369-119_Wallbox_Warranty.pdf

Job Name:	Model Numbers:
Job Number:	

Dimensions

seeTouch® Glass Faceplate

Architectural Non-Insert Style

2.82 in
(71.63 mm)

4.73 in
(120.14 mm)

0.305 in
(7.75 mm)

0.118 in
(3.00 mm)

seeTouch® Glass Faceplate

Architectural International Frameless Style

3.53 in
(89.66 mm)

3.53 in
(89.66 mm)

0.354 in
(8.99 mm)

0.118 in
(3.00 mm)

Job Name:	Model Numbers:
Job Number:	

Dimensions

Designer Glass Faceplate
Architectural Style

2.82 in
(71.63 mm)

4.63 in
(117.60 mm)

4.73 in
(120.14 mm)

4.73 in
(120.14 mm)

LFGR-1-XXX

LFGR-2-XXX

6.44 in
(163.58 mm)

0.305 in
(7.75 mm)

0.118 in
(3.00 mm)

4.73 in
(120.14 mm)

LFGR-3-XXX

Job Name:	Model Numbers:
Job Number:	

Dimensions

Pico® Glass Faceplate

3.50 in
(89 mm)

3.50 in
(89 mm)

0.15 in
(4.0 mm)

0.38 in
(10 mm)

3.50 in
(89 mm)

3.50 in
(89 mm)

0.15 in
(4.0 mm)

0.38 in
(10 mm)

Job Name:	Model Numbers:
Job Number:	

Mounting

Designer Glass Faceplate: Architectural Style (LFGR-2 shown)

Faceplate Adapter

Glass Faceplate

Wallboxes and devices ordered separately

Wallbox

Device

Device Mounting Screws (4)

Adapter Mounting Screws (4)

---

seeTouch® Glass Faceplate: Architectural International Frameless Style (LFGI-10BRL-F shown)

Faceplate Adapter

Button Kit

Glass Faceplate

Wallboxes and devices ordered separately

Wallbox 3x3x1.85 in (75x75x47 mm) Shown

Keypad

Mounting Screws (2)

Adapter Mounting Screws (4)

Pico® Glass Faceplate: Architectural International Frameless Style (LFGP-S2 shown)

Faceplate Adapter

Glass Faceplate

Wallboxes and devices ordered separately

Wallbox 3x3x1.85 in (75x75x47 mm) Shown

Pico® Wireless Controllers

Keypad Mounting Screws (2)

LUTRON® SPECIFICATION SUBMITTAL

Page

Job Name:	Model Numbers:
Job Number:	