


## adorne Collection adorne® 15A One-Gang Pop-Out Outlet, Graphite

Part No. ARPTR151GG2



The cleverest way to add power and style, the Pop-Out Outlet extends to offer 3-plug access, then uniquely disappears back into the wall with a simple push when not in use. Made exclusively for use with screwless Wall Plates from the adorne® Collection, sold separately.

## Features & Benefits

For complete installation, device must be paired with an <u>adorne® screwless Wall Plate</u> (not included). Available in a range of contemporary colors and stunning finishes.

Perfect anywhere you'd like to hide outlets when not in use, for added style and safety.

Provides additional power with 3-plug access when extended from wall.

Disappears back into the wall with a simple push when not needed.

Installs easily in as little as 15 minutes.

Comes with a special frame for mounting and requires a deep electrical outlet (22.5 cubic inches). No new wires required for typical installation.

Protects children with a patented tamper-resistant shutter system that prevents improper insertion of foreign objects, complete with "invisi-shutters" for an invisible effect

More color options available to fit any style, including finishes to match current hardware and lighting trends.

## Specifications

## General Info Product Line Is Discontinued No Pass & Seymour **UPC** Number Color Graphite 785007234527 Is Bulk Product No Country Of Origin China Number of Receptacles Features Pop-Out Residential, Indoor, Pop-Out, Outlet Type Warranty Type Limited Lifetime Warranty Tamper-Resistant Туре Outlet

Dimensions			
Product Width US	2.99 in	Product Depth US	2.6 in
Product Height US	4.88 in		
Package Dimensions			
Master Pack Quantity	2 EA	Weight per Master Pack	1.6 lb
Pallet Quantity	1152 EA		
Technical Information			
Connection	Side and Back Wire	Number of Gangs	1
Amperage	15 A	Number of Poles	Double Pole
Indoor/Outdoor	Indoor	NEMA Configuration Code	5-15R
Mounting Type	Вох	Voltage	125 V
Connection Type	Internal Pressure Plates	Environmental Conditions	95 (relative humidity, non-condensing)