

# A-Line Contractor Series



8.5W A19  
E26 base

13.5W A19  
E26 Base

Contractor Grade A-Lamps  
60W / 100W 6 Packs, Non-Dimmable



80 CRI



MULTI-  
PACKS



NON-  
DIMMABLE



ENCLOSED  
FIXTURE RATED



DAMP  
RATED



FCC  
LISTED



RoHS

PROJECT:

DATE:

TYPE:

PREPARED BY:



## KEY FEATURES

- **Energy-efficient** replacement for **incandescent** and **halogen** lamps
- Constructed from **durable plastic** which lowers risk of breakage
- Rated for use in **enclosed and open** fixtures in **dry or damp** locations (13.5W A19 is open fixture rated)
- **Frosted lens** produces smooth, diffuse light
- **Longer lifespan** compared to legacy equivalents minimizes replacement and maintenance costs
- Contractor **6 Pack**
- **UL Recognized**
- **Non-dimmable**
- **2-Years, Limited Warranty**

## PERFORMANCE

Catalog Number	Equivalency	Input Wattage	Lumens	Efficacy lm/W	Color Temperature	CRI	L70 Lifespan
A19-8.5-E26-830-ND ECO 6PK	60W Incandescent	8.5W	800	94	3000K	80	15,000
A19-8.5-E26-850-ND ECO 6PK	60W Incandescent	8.5W	830	98	5000K	80	15,000
A19-13.5-E26-830-ND ECO 6PK	100W Incandescent	13.5W	1500	111	3000K	80	11,000
A19-13.5-E26-850-ND ECO 6PK	100W Incandescent	13.5W	1550	115	5000K	80	11,000

## TECHNICAL SPECIFICATIONS

### CONSTRUCTION

#### Product Type

A-Line

#### Bulb Shape

A19

#### Housing Material

Plastic

#### Housing Finish

White

#### Lens Finish

Frosted

#### Base Type

E26

#### Beam Angle

200°

### ELECTRICAL

#### Power Factor

0.5

#### Input Voltage

120V

#### Operating Frequency

60Hz

#### Operating Temperature

-20°C ~ 45°C

#### Note

All values are typical (tolerance +/- 10%)

## TECHNICAL SPECIFICATIONS (CONT.)

### COMPLIANCE

#### Safety Listing

UL Recognized

#### Environment/Fixture Rating

8.5W A19 - Damp / Enclosed

13.5W A19 - Damp / Open

#### FCC

Complies with Part 15 of the FCC Rules.

#### RoHS

Mercury and UV free. RoHS-compliant components.

### OTHER

#### Warranty


The RAB 2-year, limited warranty covers light output, driver performance and paint finish.

RAB's warranty is subject to all terms and conditions found at [rablighting.com/warranty](http://rablighting.com/warranty).

## DIMENSIONS


### 8.5W A19

Weight: 0.57 lb



### 13.5W A19

Weight: 0.80 lb



## ORDERING INFO

Catalog Number	Model Number (DLC/Energy Star)	UPC	Case Pack
A19-8.5-E26-830-ND ECO 6PK	A10048(A19-8.5-E26-830-ND ECO)	019813700588	6PK / 24 Case
A19-8.5-E26-850-ND ECO 6PK	A10049(A19-8.5-E26-850-ND ECO)	019813700595	6PK / 24 Case
A19-13.5-E26-830-ND ECO 6PK	A10050(A19-13.5-E26-830-ND ECO)	019813700601	6PK / 24 Case
A19-13.5-E26-850-ND ECO 6PK	A10051(A19-13.5-E26-850-ND ECO)	019813700618	6PK / 24 Case

# A-Line Contractor Series



## ORDERING MATRIX

Family	Wattage		Base Type		CRI/Color Temp		Dimming		Classification		Case Pack	
A19	-		-	E26	-		-	ND		ECO		6PK
	8.5	8.5W / 60W EQ	E26	E26 Base	830	80 CRI, 3000K	ND	Non-Dimming	ECO	Economical	6PK	6 Pack
	13.5	3.5W / 100W EQ			850	80 CRI, 5000K						