Style and Character Enhanced with Light

Outdoor lighting and accessories designed to bring a consistent, lasting quality with complementary styles, sizes and finishes.





Handcrafted in America



Handcrafted in America

History built from lasting quality

Hanover Lantern began in 1970
in a small town east of historic
Gettysburg, Pennsylvania,
and is still handcrafting
its products there today. Times
have changed, but Hanover's old world
manufacturing practices
and values remain the same.

Hanover Lantern is a leading American manufacturer of made-to-order cast aluminum outdoor lighting products and matching accessories shown on the pages of this catalog.











Unlimited styles, sizes and finishes for any home.

Hanover Lantern offers a comprehensive selection of classic lantern styles to enhance any architectural theme.

A series of several sizes are available on each design style to add that finishing touch to your application.

Complementing styles, sizes and finishes are unlimited.





Wall Lighting


With numerous designs to choose from, Hanover Lantern has a style to complement any architecture. Each series has multiple sizes and mounting options, so you can find the appropriate fixture for your application. With 20 finishes, we can beautifully integrate your fixtures with your exterior color scheme.

Post Lighting

Hanover Lantern offers numerous post top lighting designs to complement your wall lighting and pier lighting. Whether you use a single post outside your front entrance, or multiple posts to line your driveway, our lighting will provide security and beauty to your property.

Pier Lighting

Create a dramatic entrance to your property with the use of our pier mounted fixtures. Hanover Lantern manufactures a wide range of models and sizes for any application.



Landscape Lighting

Enhance the beauty of your property after dark with Hanover Lantern's landscape lighting. Welcome your guests by painting your walks, steps and garden pathways with the radiant shimmer of our Terralight landscape fixtures. Create a focal point by uplighting an ornamental tree or washing a wall with the soft glow from a low voltage spotlight.

Mailboxes and Signs

Add a totally integrated look to your property with the addition of a sign or mailbox. Hanover Lantern offers many standard cast aluminum signs in a variety of shapes and sizes. Our upscale mailboxes, available in your choice of any of our elegant, hand-applied finishes, are manufactured in a variety of configurations and sizes.

Posts

Hanover Lantern offers an expansive line of post and designer base wraps to complement all our lighting fixtures. Whether you want to install a direct burial or anchor base post, we have an option for your property.



Select the best fixture size for your application

A property's entrance sets the style and tone of its owners. Choosing a fixture that is properly proportioned to its surroundings is critical. The following series of photographs is used to illustrate this point. Your local lighting showroom can offer expertise in helping you select the correct fixture for your application.

Jamestown Series - POST MOUNT









Most home centers offer only smaller sized outdoor lighting fixtures. The photographs above clearly illustrate the need for larger scale lighting fixtures. A small size lantern in not recommended for use on a 6' residential post. A 20" high or larger fixture will be a perfect fit based on proportions.

Manor Series - PIER MOUNT









Manor series is just one of many styles offered by Hanover Lantern in four different sizes. Shown above in a pier mount configuration on a 30" square pier, size and scale of the fixture to its environment is critical. If you have doubts or questions, your local lighting showroom can help determine size.

South Bend Series - WALL MOUNT









Consumers often make the mistake of selecting outdoor lighting fixtures that are too small. The photos above show different size fixtures of the same design in the identical installation. Remember to keep the location of the electrical box in mind for proper height. By looking at these fixtures at a distance, you can tell which is best for your home.

Visual Index

(Line Art Drawing)

53200/53300 53400/53500

Stockholm


Pages 16 and 17


53600/53700

13200

Augusta

Pages 18 and 19





12200

12400

- **Sturbridge** -Pages 20 and 21 12600

15200


15400

Merion

Pages 22 and 23

15600


13600





Accessories


Photo Optics	page 61
Decorative Post Bases	page 64
Candle Clusters/Aluminum Knobs	page 64
Multiple Post Fixtures	page 65

Ladder Rests and Signs	page 66
Mailbox Post Caps	page 70
Landscape Accessories	page 79
Panel and Finishes	page 80











Residential Lighting







Palermo


B57400 - medium B57600 - large

Standard on all fixtures below:

• Medium series > 3-light candelabra candle cluster, 25w max. per socket, Optional: medium base socket - 75w max. • Large series > 4-light candelabra candle cluster 25w max. per socket, Optional: medium base socket - 100w max.

• Clear, frosted, thumb print & linen globes available • Cast aluminum construction

• All finishes available, see page 80







Riviera

B58400 - medium

Standard on all fixtures below:

- Medium series > 3-light candelabra candle cluster, 25w max. per socket, Optional: medium base socket 75w max. or LED available
- Cast aluminum construction
- All finishes available, see page 80
- Clear, Frosted, Seeded, Linen glass globes available



H: 26⁵/8"
W: 11¹/4" dia. (12³/4" dia. with scrolls)
EXT: 16" (16⁵/8" with scrolls)
T/O: 17³/8"



 $\begin{array}{c} B58412 \\ \text{H: } 26^5/8" \\ \text{W: } 11^1/4" \text{dia. } (12^3/4" \text{dia. with scrolls}) \\ \text{EXT: } 16" \ (16^5/8" \text{ with scrolls}) \\ \text{T/O: } 9^1/2" \end{array}$



B58420 H: 24¹/2" W: 11¹/4"dia. (12³/4"dia. with scrolls) H (O/A): 37¹/4" CHAIN: 12"



H: 27 ³/8"
W: 11 ¹/4" dia. (12 ³/4" dia. with scrolls)
Post NOT Included



B58460 H: 22⁵/8" W: 11 ¹/4" dia. (12³/4" dia. with scrolls)





Bridgewater

B8600 – small B9000 – large


Standard on all fixtures below:

• Porcelain medium base socket with painted socket cover - (Small series - 60W max.) (Large series - 100w max.)

Cast aluminum construction

• All finishes available, see page 80

• Clear seeded glass globe only












Aerial

B55200 – medium B55400 – large

Standard on all fixtures below:

- Porcelain medium base socket with painted socket cover (B55200) 60w max. (B55400) 150w max.
- Cast aluminum construction
- All finishes available, see page 80.
- Opal acrylic globe









B542FRM H: 19¹/4" W: 8"dia EXT: 10⁵/8" T/0: 61/4"





B54220 H: 21" W: 8"dia H (O/A): 33 1/8" CHAIN: 12"



H: 20 1/8" W: 8"dia



B54230 H: 18³/8" W: 8"dia Post NOT Included



B54260 H: 17¹/2" W: 8"dia

Milano

B54200 - small B54400 - medium B54600 - large

Standard on all fixtures below:

• Small series > Porcelain medium base socket with painted socket cover

• Medium series > 3-light candelabra candle cluster, 25w max. per socket, Optional: medium base socket - 75w max.

• Large series > 4-light candelabra candle cluster, 25w max. per socket, Optional: medium base socket - 100w max.

• Clear, Frosted, Thumb Print Glass Globes available in small, medium and large • Cast aluminum construction, all finishes available, see page 80



B544FRM H: 26 ¹/8" W: 10³/4"dia

EXT: 15 1/2" T/O: 97/8"



B544FSM H: 24³/8" W: 10³/4"dia EXT: 15 1/2" T/0: 14¹/2"



B54420 н: 26" W: 10³/4"dia H (O/A): 38³/4" CHAIN: 12"



B54421 H: 25 ¹/8" W: 10 ³/4" dia B54430 H: 23 ³/8" W: 10 ³/4" dia Post NOT Included



B54460 H· 225/8" W: 10³/4"dia



B546FRM H: 31³/4" W: 14¹/4"dia EXT: $17^3/8$ "

T/O: 97/8"



H: 30" W: 14¹/4"dia EXT: 17³/8" T/O: 20 1/8"



B54620 H: 32" W: 14 ¹/4"dia H (O/A): 44 ³/4"

CHAIN: 12"



B54621 H: 30 ³/4" W: 14 ¹/4" dia



B54630 H: 29" W: 14 ¹/4" dia

Post NOT Included



B54660 H: 28⁷/8" W: 14¹/4"dia





Stockholm

B53200 / B53300 - small

Standard on all fixtures below:

- 3-light painted candelabra candle cluster and candle covers 25w max. per socket
- Cast aluminum construction with painted spun aluminum dome
- All finishes available, see page 80
- Molded acrylic lens



B532FSM H: 26" W: 10³/4" EXT: 15³/8" T/O: 16"

B533FSM w/Crown H: 26" W: 11¹/4" EXT: 15³/8" T/O: 16"



B532FRM H: 26⁷/8" W: 10³/4" EXT: 15³/8" T/O: 10"

B533FRM w/Crown H: 26⁷/8" W: 11 ¹/4" EXT: 15 ³/8" T/O: 10"



B53221 H: 24³/4" W: 10³/4"

B53321 w/Crown H: 24³/4" W: 11¹/4"



B53220 H: 23³/8" W: 10³/4" H (O/A): 37¹/4" CHAIN: 12"

B53320 w/Crown H: 23³/8" W: 11 ¹/4" H (O/A): 37 ¹/4" CHAIN: 12"



7 ¹/4" dia

B53260 н: 24" w: 10³/4"

B53360 w/Crown H: 24" W: 11 1/4"



B53230 H: 24¹/2" W: 10³/4" Post NOT Included

B53330 w/Crown H: 24¹/2" W: 11¹/4" Post NOT Included



Stockholm

B53400 / B53500 - medium B53600 / B53700- large

Standard on all fixtures below:

Medium series > 4-light painted candelabra candle cluster and candle cover - 25w max. per socket
 Large series > 4-light painted candelabra candle cluster and candle cover - 25w max. per socket
 Cast aluminum construction with painted spun aluminum dome
 All finishes available, see page 80

Molded acriyic lens



B534FSM H: 31 ³/8" W: 14 ¹/4" EXT: 17 ¹/8" T/O: 21 ³/8"

B535FSM w/Crown H: 31³/8" W: 15¹/2" EXT: 17³/4" T/O: 21³/8"



B53420 H: 28³/4" W: 14¹/4" H (O/A): 42⁵/8" CHAIN: 12"

B53520 w/Crown H: 28³/4" W: 15¹/2" H (O/A): 42⁵/8" CHAIN: 12"



B53460 H: 29³/8" W: 14¹/4"

B53560 w/Crown H: 29³/8" w: 15¹/2"



B53430 H: 29⁷/8" W: 14¹/4" Post NOT Included

B53530 w/Crown H: 29⁷/8" W: 15¹/2" Post NOT Included



B536FSM H: 39¹/4" W: 17³/4" EXT: 21¹/2" T/O: 26³/4"

B537FSM w/Crown H: 39¹/4" W: 19³/8" EXT: 22¹/4" T/O: 26³/4"



B53620 H: 36³/8" W: 17³/4" H (O/A): 52¹/8" CHAIN: 12"

B53720 w/Crown H: 36³/8" w: 19³/8" H (O/A): 52¹/8" CHAIN: 12"



B53660 H: 36³/4" W: 17³/4"

B53760 w/Crown H: 36³/4" W: 19³/8"



B53630 H: 37" W: 17³/4" Post NOT Included

B53730 w/Crown H: 37" W: 19³/8" Post NOT Included





Augusta

B13200 – small B13400 – medium B13600 – large

Standard on all fixtures below:

• Small Series > Porcelain medium base socket with painted socket cover - 60w max.

• Medium Series > 3-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket

(B13422 has brass socket covers, Opalescent Honey glass panels available)

• Large Series > 4-light candelabra sockets with painted candle cluster and socket covers (B13612, B13672, B13620, B13621, B136FRM have 3- light candelabra sockets)


- 25w max. per socket (B13622 has brass socket covers, Opalescent Honey glass panels available)


• Clear beveled glass standard - optional panels available: Frosted Glass, Clear Seeded Glass


Higher wattages may be used ONLY with glass panels installed

Cast aluminum construction

• All finishes available, see page 80












Sturbridge


B12200 – small B12400 – medium B12600 – large


Standard on all fixtures below:

• Small Series > Porcelain medium base socket with painted socket cover - 60w max.
• Medium Series > 3-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket
• Large Series > 4-light candelabra sockets with painted candle cluster and socket covers
(B12612, B12672, B12620, B12621, B126FRM have 3- light candelabra sockets) - 25w max. per socket
• Clear beveled glass standard - optional panels available: Frosted Glass, Clear Seeded Glass
• Higher wattages may be used ONLY with glass panels installed
• Cast aluminum construction

All finishes available, see page 80











Merion

B15200 – small B15400 – medium B15600 – large

Standard on all fixtures below:

• Small Series > Porcelain medium base socket with painted socket cover - 60w max.

Medium Series > 3-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket (B15422 has a medium base socket)
 Large Series > 4-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket
 (B15612, B15620, B15621, B156FRM has a 3-light candelabra socket)

• Clear beveled glass standard - optional panels available: Frosted Glass, Clear Seeded Glass

• FLUTED DOME OPTIONS: clear polycarbonate (CP) or opal acrylic (OA)

Cast aluminum construction

• All finishes available, see page 80


B15230


H: 201/4"

W: 8³/8"

Post NOT Included











Suffolk

B52200 - small B52400- medium

Standard on all fixtures below:

- Small series > 1-light painted candelabra socket and candle cover 25w max. per socket
- Medium series > 3-light painted candelabra candle cluster and candle cover 25w max. per socket
- Clear beveled glass standard optional panels available: Frosted Glass, Clear Seeded Glass
- All cast aluminum construction with painted spun aluminum dome
- Higher wattages may be used ONLY with glass
- All finishes available, see page 80








Suffolk

B52600 - large

Standard on all fixtures below:• B526FRM, B52620, B52621 3-light painted candelabra cluster and candle covers • Large series > 4-light painted candelabra candle cluster and candle cover - 25w max. per socket Clear beveled glass standard - optional panels available: Frosted Glass, Clear Seeded Glass
All cast aluminum construction with painted spun aluminum dome
Higher wattages may be used ONLY with glass • All finishes available, see page 80

B52621

H: $30^{1}/2''$ W: $14^{7}/8''$







South Bend

B51200 – small B51400 – medium

Standard on all fixtures below:

- Small series > 1-light painted candelabra socket and candle cover 25w max. per socket
- Medium series > 3-light painted candelabra candle cluster and candle cover 25w max. per socket
- All cast aluminum construction with painted spun aluminum dome
- Clear beveled glass standard all panels available
- Higher wattages may be used ONLY with glass
- All finishes available, see page 80



4 1/4" dia






South Bend

B51600 - large

Standard on all fixtures below:

• B516FRM, B51620, B51621 3-light painted candelabra cluster and candle covers Large series > 4-light painted candelabra candle cluster and candle cover - 25w max. per socket • All cast aluminum construction with painted spun aluminum dome • Clear beveled glass standard - all panels available • Higher wattages may be used ONLY with glass • All finishes available, see page 80





Post NOT Included









Jamestown / Grande Jamestown

B2300 – small B9300 – medium B9400 – large B30800 – grande

Standard on all fixtures below:


• Small Series > Porcelain medium base socket with painted socket cover - 60w max., Clear beveled glass panels


Medium Series > 3-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket, Clear beveled glass panels
 Large Series > 4-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket (B9420, B9421, B94FRM 3-light), Clear beveled glass panels
 Grande Series > 4-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket (B308FRM, B30820 3-light), Clear acrylic panels

Higher wattages may be used ONLY with glass


• Cast aluminum construction, painted finials and spindles

• All finishes available, see page 80













Manor / Grande Manor

B2500 - small B4100 - medium B5500 - large B6100 - grande

Standard on all fixtures below:

• Small Series > Porcelain medium base socket with painted socket cover - 60w max., Clear acrylic panels standard, Clear beveled glass panels marked with *

 Medium Series > Porcelain medium base socket with painted socket cover - 100w max., Optional 3-light painted candelabra cluster and socket covers - 25w max. per socket, Clear acrylic panels

• Large Series > Porcelain medium base socket with painted socket cover - 100w max., Optional 3 or 4-light painted candelabra cluster and socket covers - 25w max. per socket (3-light for B55FRM), Clear acrylic panels and frosted chimney, Clear beveled glass panels marked with *


• Grande Series > 4-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket (B6120, B61FRM 3-light),


Clear acrylic panels and frosted chimney, Glass not available


Higher wattages may be used ONLY with glass

· Cast aluminum construction, painted finials and spindles • All finishes available, see page 80

















Ordering Guide 4 B4109 WBZ CA C3

4 - Quantity B4109 - Model Number WBZ - Finish Code CA - Panel/Globe Code

C3 - Wattage, Lamping or other options


All products are made to order, please consult factory for lead time.

Manor Signature

B4100 – medium B5500 – large

Standard on all fixtures below:

- Medium series > 3-light candelabra candle cluster, 25w max. per socket
- Large series > 4-light candelabra candle cluster, 25w max. per socket
- · Clear acrylic panels standard, all acrylic panels available
- Cast aluminum construction
- All finishes available, see page 80



T/O: 141/4"













H: 34³/4" W: 14³/8"



H: 34 ¹/2" W: 14³/8" Post NOT Included



н: 35 " W: 14³/8" H (O/A): 62 1/4" CHAIN: 24"






Artisan


B56400 – medium B56600 – large

Standard on all fixtures below:

Porcelain medium base socket with painted socket cover (B56400 - 100w max and B56600 - 150W max.)
 All finishes available and panel options available, see page 80

Cast aluminum construction









Westminster LE

B19200 - small B19400 - medium B19600 - large

Standard on all fixtures below:

• Small Series > Porcelain medium base socket with painted socket cover - 60w max., Clear beveled glass standard - optional panels available • Medium Series > 3-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket • Large Series > 4-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket (B19612, B19620, B19621, B196FRM has a 3-light candelabra socket)

• Clear beveled glass standard - optional panels available

• Cast aluminum construction

• All finishes available, see page 80



H: 21 ¹/8" W: 8 1/4" EXT: 10" T/O: 16⁷/8"



B19215 H: 23³/8" W: 81/4" EXT: 10" T/O: 16⁷/8"



B19212 H: 15³/8" W: 8 1/4" EXT: 10" T/O: 5 1/4"



B192FSM H: 17³/8" W: 8 1/4" EXT: $10^{1}/8$ " T/O: 11 1/8"



B192FRM H: 19³/4" W: 8 1/4" EXT: $10^{1}/8$ " T/O: 61/4"



B19220 H: 11³/4" W: 81/4" H (O/A): 25⁵/8" CHAIN: 12"



B19221 H: 13 ¹/4" W: 8¹/4"



B19230 H: 17⁷/8" W: 81/4" Post NOT Included



B19410 H: 29¹/4" W: 12" EXT: 24¹/8" T/0: 16



B19415 H: 34¹/8" w: 12" EXT: 24¹/8' T/0: 16'



B19412 H: 22 ¹/4" w: 12" EXT: 13 1/4" T/O: 7¹/8"



B194FSM B194FRM H: 20¹/2" H: 26" W: 12" w: 12" EXT: 15¹/4" EXT: 15 1/4" T/O: 10" T/0: 16"



B19420 H: 16³/4" w: 12" H (O/A): 433/8" CHAIN: 24"




B19421 H: 18³/8" w: 12"



B19430 H: 24³/8" W: 12" Post NOT Included



B19450 H: 29¹/4" W: 28¹/2" EXT: 24¹/8 T/0:16"







St. Augustine

B22200 – small B22400 – medium B22600 – large

Standard on all fixtures below:

• Small Series > Porcelain medium base socket with painted socket cover - 60w max.
• Medium Series > 3-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket
• Large Series > 4-light candelabra sockets with painted candle cluster and socket covers - 25w max. per socket

(B22612, B226FRM, B22620, B22621 has a 3-light candelabra socket)
• Clear seeded glass standard - optional panels available

Cast aluminum construction

• All finishes available, see page 80



B22210 H: 21³/8" W: 8³/8" EXT: 10" T/O: 17"



B22215 H: 26¹/2" W: 8³/8" EXT: 10" T/O: 17"



B22212 H: 14⁵/8" W: 8³/8" EXT: 10" T/O: 4³/4"



B222FSM B222FRM H: 17³/8" H: 12⁷/8" W: 8³/8" W: 8³/8" EXT: 10 ¹/4" EXT: 10 ¹/4" T/O: 11 ¹/4" T/O: 6 ¹/4"



B22230 H: 17⁷/8" W: 8³/8" Post NOT Included



B22220 H: 17 ³/8" W: 8 ³/8" H (O/A): 31 ³/4" CHAIN: 12"



B22221 H: 18³/8" W: 8³/8"



B22250 H: 21³/8" W: 18³/4" EXT: 10" T/O: 17"



B22410 H: 29¹/8" W: 12¹/4" EXT: 13³/8" T/O: 24"



B22415 H: 38 ¹/2" W: 12 ¹/4" EXT: 13 ³/8" T/O: 24"



B22412 H: 21 ¹/4" W: 12 ¹/4" EXT: 13 ³/8" T/O: 6 ¹/2"



B224FSM H: 25⁷/8" W: 12¹/4" EXT: 15³/8" T/O: 15⁷/8"



B224FRM H: 19⁷/8" W: 12¹/4" EXT: 13³/8" T/O:10"



B22430 B22420 H: 24¹/4" H: 24⁵/8" W: 12¹/4" W: 12¹/4" Post H (O/A): 5¹/1 NOT Included CHAIN: 24"



0 " " 1" !"



B22421 H: 24⁵/8" W: 12¹/4"



B22450 H: 29¹/8" W: 28¹/2" EXT: 13³/8" T/O: 24"



B22610 H: 36" W: 14¹/2" EXT: 14³/8" T/O: 30³/4"



W B22615 H: 45³/8" W: 14¹/2" EXT: 14³/4" T/O: 30³/4"



B22612 H: 27¹/8" W: 14¹/2" EXT: 14³/8" T/O: 6¹/2"



B226FSM H: 32 ³/4" W: 14 ¹/2" EXT: 16 ³/8" T/O: 22 ³/4"



B226FRM H: 25³/₄" W: 14¹/₂" EXT: 16³/₈" T/O: 10"



B22630 H: 31" W: 14¹/2" Post NOT Included



B22620 H: 31 ¹/2" W: 14 ¹/2" H (O/A): 58⁵/8" CHAIN: 24"



B22621 H: 36⁷/8" W: 14¹/2"



B22650 H: 36" W: 28¹/2" EXT: 14³/8" T/O: 30³/4"





Plymouth / Grande Plymouth

B2400 - small B9500 - medium B9600 - large B31800 - grande

Standard on all fixtures below:

• Small Series > Porcelain medium base socket with painted socket cover - 60w max., Clear beveled glass panels standard
• Medium Series > 3-light painted candelabra cluster and socket covers - 25w max. per socket, Clear beveled glass panels standard
• Large Series > 4-light painted candelabra cluster and socket covers - 25w max. per socket (B9620, B9621, B96FRM - 3-light candelabra), Clear beveled glass panels standard
• Grande Series > 4-light candelabra sockets with painted candle cluster and socket covers - 40w max. per socket (B31820, B318FRM - 3-light candelabra),


Clear acrylic panels standard, Glass not available


Higher wattages may be used ONLY with glass


· Cast aluminum construction, painted finials and spindles

All finishes available, see page 80














Jefferson / Grande Jefferson

B5600 - small B5800 - medium B5700 - large B8400 - grande

• Small Series > Porcelain medium base socket with painted socket cover - 60w max., Clear beveled glass panels standard • Medium Series > 3-light painted candelabra cluster and socket covers - 25w max. per socket, Clear beveled glass panels standard • Large Series > 4-light painted candelabra cluster - 25w max. per socket (B5720, B5721, B5772, B57FRM - 3-light candelabra), Clear beveled glass panels standard, Optional - frosted chimney, brass holder and panels

• Grande Series > 4-light candelabra sockets with painted candle cluster and socket covers - 40w max. per socket (B8420-1 - 3-light candelabra), Clear acrylic panels standard, Glass not available, Optional - frosted chimney, brass holder and panels • Higher wattages may be used ONLY with glass

· Cast aluminum construction, painted finials and spindles • All finishes available, see page 80



EXT: 93/4"

T/O: 143/8"



EXT: 93/41

T/O: 143/8



H: 17¹/4"

W: 63/4"

EXT: 93/4"

T/O: 45/8"





H: 15 ¹/2"

W: 63/4"

T/0: 61/4"

B5630 H: 15³/8" W: 63/4" EXT: 101/8" Post NOT included



B5621 H: 15 1/2 W: 63/4"








B5872 H: 21³/4" W: 93/8" EXT: 123/4" T/0: 51/4



B58FSM B58FRM H: 211/4" H: 20³/8" W: 93/8" W: 93/8" EXT: 143/4" EXT: 143/4" T/O: 11" T/O: 101




B5830 H: 19¹/2" W: 93/8" Post NOT included





B5821 H: 19⁵/8" W: 93/8"

H: 28⁵/8"

CHAIN: 12"









B5772 H: 25³/8" W: 111/4" EXT: 135/8 T/O: 6¹/2"



B57FRM н: 24" W: 11¹/4" EXT: 155/8 T/O: 10"


B8420-1

H: 31³/4"

W: 143/4"

H: 59" O/A

CHAIN: 24"




H: 443/8" O/A

CHAIN: 24











B8417 H: 35³/4" W: 143/4" EXT: 2 1 1/2" T/0: 26³/4"



T/O: 26³/4



H: 24³/8"

W: 11¹/4"

EXT: 155/8

T/O: 14³/8"


B8431 H: 321/4" W: 143/4" Post NOT Included



H: 47" O/A

CHAIN: 24









Jefferson Signature


B5600 – small B5800 – medium B5700 – large B8400 – grande


Standard on all fixtures below:


- Small series Porcelain medium base socket with painted socket cover 60w max.
 - Medium series 3-light painted candelabra candle cluster 25w max. per socket
 - Large Series > 4-light painted candelabra candle cluster 25w max. per socket


41/4" dia.

- Grande Series > 4-light painted candelabra candle cluster 25w max. per socket, Clear acrylic panels standard
 Higher wattages may be used only with glass panels installed
- Clear beveled glass standard for Small, Medium, Large optional panels available: opal acrylic or clear seeded acrylic
 - Cast aluminum construction















Abington

B8000 – small B8100 – large

- Small series > B8001 single candelabra socket 40w max., (B8020 and B8012RM porcelain medium base socket with painted socket cover 40w max)
- Large series > B8110, B8115, B8130, B8112RM, B8120 3 candelabra sockets, B8101, B8150 2 candelabra sockets, 25w max per socket)
- Clear beveled glass panels on B8012RM and B8112RM
- Clear seeded acrylic standard, Painted candle cluster







Abington Signature

B8000 – small B8100 – large

Standard on all fixtures below:

• Small series - Medium base socket 40w max

• Large series - 3 - candelabra sockets 25 w max per socket (painted candle clusters)

T/O: 213/4"

• Higher wattages may be used only with glass panels installed

T/O: 27/8"

• All panels and finishes available, see page 80

Cast aluminum construction


B8133

н: 24"

w: 10"

Post NOT Included

· Clear seeded acrylic standard



T/O: 153/8"

T/O: 21/4"






Revere

B8200 - small B8300 - large

- Revere Small B8201 single candelabra socket 25w max
- B8212RM, B8220 Porcelain medium base socket with painted socket cover 40w max Revere Large 3 candelabra sockets 25 w max per socket
- Painted candle cluster (two candelabra sockets B8301, B8350)
- Clear seeded acrylic panels standard except B8212RM and B8312RM clear beveled glass panels
- All finishes and select panel options available, see page 80







Revere Signature


B8200 – small B8300 – large

Standard on all fixtures below:

• Porcelain medium base socket with painted socket cover - 40w max. - Revere Signature Small • 3 candelabra sockets 25w max. per socket - painted candle cluster - Revere Signature Large

• All finishes and select panel options available, see page 80

Cast aluminum construction









Indian Wells

B28300 – medium B28400 – medium

- Porcelain medium base sockets (28300 & 28400) 40w max. per socket
- Opalescent honey glass standard, all panels available except clear beveled glass
- Cast aluminum construction
- All finishes available, see page 80








Indian Wells

B28500 – large B28600 – large


Standard on all fixtures below:

Porcelain medium base sockets - (28500 & 28600) 75w max. per socket
 Opalescent honey glass standard, all panels available except clear beveled glass

• All finishes available, see page 80









Salem

B8900 – medium B8500 – large

- Candelabra socket 25w max per socket
- B8901, B8902, B8903 have 1-Light candelabra painted socket and covers to match fixture with clear acrylic panels
- B8501, B8502, B8503 have 2-Light candelabra painted socket and covers to match fixture with clear seeded acrylic panels
- B8538 have 4-Light candelabra painted socket and covers to match fixture with clear seeded acrylic panels
- All finishes available, see page 80
- Cast aluminum construction







Cape Cod

B25200 – medium B25400 - large

Standard on all fixtures below:

• Candelabra socket - 25w max per socket, painted socket arms and socket covers


H (O/A): 49³/4"

CHAIN: 24"

- B25209 have 2-Light candelabra
- B25409 have 3-Light candelabra
- B25230, B25420, B25430 have 4-Light candelabra

Post NOT Included

- Cast aluminum construction • Clear seeded acrylic panels
- All finishes available, see page 80
 - Acrylic panels only



EXT: 9¹/4" T/O: 16"

EXT: 6⁷/8"

T/O: 12"

Post NOT Included






Grosse Pointe

B17300 – small B17500 – medium

- Porcelain medium base socket (17300 95/8" dia., 60w max. 17500 13" dia., 100w max.)
- Clear textured UV stabilized polycarbonate globe
- Painted spun aluminum top dome
- Cast aluminum construction
- All finishes available, see page 80







North Hills


B33600 - small B33000 - medium

Standard on all fixtures below:


• Porcelain medium base socket (33600 - 10" dia. - 60w max, 33000 - 135/8" dia. - 100w max.)

• Clear textured UV stabilized polycarbonate globe

- Painted spun aluminum top dome
 - Cast aluminum construction
- All finishes available, see page 80









Clifton Park

B17200 – small B17400 – medium

- Porcelain medium base socket (17200 8" dia. 60w max., 17400 11" dia. 100w max)
- Clear textured UV stabilized polycarbonate globe
- · Cast aluminum construction
- All finishes available, see page 80












Avalon

B8600 – small B9000 – large

Standard on all fixtures below:

Porcelain medium base socket - B8600 60w max., B9000 100w max.
 Clear polycarbonate fresnel lens only - B8600 series
 Clear glass fresnel lens only - B9000 series

• Cast aluminum construction • All finishes available, see page 80




B8609 H: 12" W: 6³/₄" EXT: 8³/₄" T/O: 8"




B8646
H: 41³/4"
W: 13¹/8"
Anchor base with 7" dia.
bolt circle. (four bolts supplied)



B8630 H: 17¹/2" W: 6³/4" Post NOT Included



B8620 H: 11⁷/8" W: 6⁵/8" H (O/A): 25³/4" CHAIN: 12"



B9009 H: 16¹/2" W: 9¹/4" EXT: 12" T/O: 11"



B9046 H: 61³/4" W: 18¹/2" Anchor base with 7" dia. bolt circle. (four bolts supplied)




B9030 H: 21¹/2" W: 9¹/4" Post NOT Included



B9020 H: 16¹/4" W: 9³/8" H (O/A): 30" CHAIN: 12"






Omni

B16200 – small B16300 – medium B16400 – large

- Porcelain medium base socket with painted socket cover (B16200) 40w max. (B16300) 60w max. (16400) 75w max.
- Cast aluminum construction
- Opal acrylic globe
- All finishes available, see page 80







Gemini

B7919 & B7999 - small B7900 - medium B7800 - large

Standard on all fixtures below:


• (1) Candelabra socket (B7999) 40w max. • Porcelain medium base single socket (B7919) 60w max.

• Two medium base sockets 75w max.

• Opal acrylic panels standard (acrylic only)

• All finishes available, see page 80

• Cast aluminum construction








Value Line - Six Sided

B9900 Series

- Porcelain medium base socket with painted socket cover 100w max. (except B9922, B9923 & B9924 60w max.)
- All finishes and panel options available, see page 80
- Clear acrylic panels standard on all models (B9900 Series)
- · Cast aluminum construction








Value Line - Four Sided

B9900 Series

Standard on all fixtures below:


Porcelain medium base socket with painted socket cover - 100w max. (except B9942, B9943 & B9944 - 60w max.)
 All finishes and panel options available, see page 80
 Clear acrylic panels standard on all models (B9900 Series)

Cast aluminum construction



Direct Burial Posts

All posts are high quality aluminum and accommodate lanterns with 3" post fitter. All finishes are available, see page 80. Please order post by length (ie: 350-7).



Ordering Guide

5 350 7 BLK 12D


5 - Quantity 350 - Model Number

7 - Height BLK - Finish Code

12D - Options

All products are made to order, please consult factory for lead time.

Recommended Direct Burial Installation




Posts Accessories



Post Accessories

Model	Description
8	Installed quick disconnect photo control on 3" O.D. post
8R	Replacement photo control not installed with quick disconnect
9	Replacement photo control not installed
10	120V Photo Eye (machined for & packed in post)
12D	Direct Burial - Convenience 120v Outlet (42 1/2" from post bottom)
12AB	Anchor Base - Convenience 120V Outlet (4" from base)
12ABT	Anchor Base - Convenience 120V Outlet (12" from top)
13	Replacement not installed convenience outlet for 3" O.D. post H 3" x W 2"



Anchor Base Posts



Ordering Guide

5 354 8 BLK 12AB

5 - Quantity 354 - Model Number 8 - Height

BLK - Finish Code 12AB - Options

All products are made to order, please consult factory for lead time.

380

344

342

394

354

380 Fluted Cast Aluminum Post 12⁷/8" sq. base 11¹/2" base height

.187" wall / 3" O.D. 6' and 7' available 344 Round Flute Aluminum Post 8½" base dia. 18¼" base height .125" wall/3" O.D. 7' thru 10' available 342 Flat Flute Aluminum Post 81/2" base dia. 181/4" base height .125" wall/3" O.D. 7' thru 10' available 394 Smooth Aluminum Post 8½" base dia. 18¼" base height .125" wall / 3" O.D. 5' thru 10' available 354 Fine Flute Aluminum Post 81/2" base dia. 181/4" base height .070" wall / 3" O.D. 5' thru 8' available

Base Template:

Anchor bolts and templates are included with anchor bases.

12⁷/8" sq. base



81/2" dia. base



13 ¹/₄" dia. base



Anchor Base Posts


All posts and bases are manufactured using our high quality aluminum and accommodate lanterns with 3" post fitter. All finishes are available, see page 80.

Anchor bolts and templates included.

- 284 Flat Flute Alumin. Post 9³/8" base dia. 27" base height w/ 12" Base Cover .125" wall / 3" O.D. 6' thru 10' height available
- 285 Smooth Alumin. Post 9³/s" base dia. 27" base height w/ 12" Base Cover .125" wall / 3" O.D. 6' thru 10' height available
- 286 Fine Flute Alumin. Post 9³/8" base dia. 27" base height w/ 12" Base Cover .070" wall / 3" O.D. 7' thru 10' available
- 287 Round Flute Alumin. Post 9³/8" base dia. 27" base height w/ 12" Base Cover .125" wall / 3" O.D. 5' thru 10' available
- **359** Square Alumin. Post 7" base dia. 3¹/4" base height w/ 8³/4" Sq. Cover .125" wall / 4" SQ. 8' thru 10' available
- 385 Smooth Alumin. Post 12¹/8" hex base dia. 13¹/4" base height w/ 2 Piece Fluted Wrap .125" wall / 3" O.D. 6' thru 10' available
- 387 Smooth Alumin. Post 12⁷/8" sq. base 11¹/2" base height w/ 2 Piece Fluted Wrap .125" wall / 3" O.D. 6' thru 10' available
- 389 Smooth Alumin. Post 13¹/4" base dia. 11¹/8" base height w/ 2 Piece Fluted Wrap .125" wall / 3" O.D. 6' thru 10' available
- 395 Smooth Tapered Alumin. Post 12¹/8" hex base dia. 13¹/4" base height .125" wall / 3" O.D. 5' thru 8' available
- 12⁷/8" sq. base 11¹/2" base height .125" wall / 3" O.D. 6' thru 10' available **399** - Smooth Alumin. Post

397 - Smooth Alumin. Post

- Smooth Alumin. Post 13¹/4" base dia. 11¹/8" base height .125" wall / 3" O.D. 6' thru 10' available
- 729 Round Flute Alumin. Post
 13¹/4" base dia. 11¹/8" base height w/ 2 Piece Fluted Wrap
 .125" wall / 4" DIA. post top tenon secured
 3" O.D. 5' thru 8' available
- 764 Flat Flute Alumin. Post 12¹/s" hex base 13¹/4" base height .125" wall / 4"DIA. tenon welded to post 5' thru 10' available
- 765 Round Flute Alumin. Post 12¹/8" hex base 13¹/4" base height .125" wall / 4" DIA. post top tenon secured 3" O.D.5' thru 8' available
- **766** Flat Flute Alumin. Pos 12⁷/8" sq. base 11¹/2" base height .125" wall / 3" O.D. 5' thru 8' available
- 767 Round Flute Alumin. Post 12⁷/8" sq. base 11¹/2" base height .125" wall / 4" DIA. tenon welded to post 5' thru 8' available
- 768 Flat Flute Alumin. Post
 13¹/4" base dia. 11¹/8" base height
 .125" wall /4" DIA. tenon welded to post 5' thru 10' available
- 769 Round Flute Alumin. Post
 13¹/4" base dia. 11¹/8" base height
 .125" wall / 4" DIA. post top tenon secured
 3" O.D. 5' thru 8' available



Posts

Decorative Post Bases (All Decorative Post Bases are cast aluminum and available in all finishes)



2 Piece Wrap Around Base **140-3** H: 25" x W: 11 1/2" Shown in Weathered Bronze



2 Piece Wrap Around Base 142-3 H: 141/4" x W: 12" Shown in Granite




2 Piece Wrap Around Base 135-3 H: 19" x W: 8" Shown in Verde Copper



2 Piece Wrap Around Base 139-3 H: 18" x W: 8" Shown in Vintage Copper



2 Piece Wrap Around Base 136-3 H: 16" x W: 10⁵/8" Shown in Antique Brass



2 Piece Wrap Around Base 138-3 H: 18¹/₂" x W: 8⁵/₈"

Scroll Wall Brackets 205S and 225S

2055-H: 13 ¹/₄" x W: 12 ⁷/₈" 2255 - H: 16 ¹/₄" x W: 4 ¹/_{2"} Shown in Weathered Bronze



450 - 451 - 455 Shown in Verde



Pier Bases 400 - SP412 - SP424 - SP436 Shown in Rustic Bronze

All Pier Bases are designed for our 3" O.D. post fixtures.

400 - 71/2" square base

455 - 71/2" square base

450 - 61/2" round base

451 - 33/4" round base

SP412, SP424, SP436451 71/2" square base with welded cast aluminum post to desired height (contact factory for other heights).

(All Bases and Base Wraps shown fit 3" O.D. posts.)





Optional Post Caps

Replacement: Candle Clusters / Aluminum Knobs / Photo Optics



Candelabra Sockets - 25w max. per socket **Candle Clusters** (lamps not included)



Aluminum Knobs - Tapped 1/8" - 27 NPSM -



PC3 3" Dia



PC24 3" Dia. G



PC20 3" Dia.



3" Dia.





PC17-3 3" Dia.



PC16-3 3" Dia.



3"Dia.




Posts

Multiple Post Fixture Possibilities


Create your own Multiple Post Lantern by using any Hanover Lantern family style that has the Victorian bracket arm or models that have a FRM or FSM included in the model.

Below are some available examples. Please contact the factory for assistance.





(Posts must be ordered separate and have special machining for each application.) Please contact factory for options



Signs



Signs

Clamp-on Ladder Rest Signs



225-3

Vinyl Numbers

R225-3 Raised Cast Numbers

223-3 Vinyl Numbers

R223-3

Raised Cast Numbers (shown in Weathered Bronze with Gold cast numbers)

222-3

Vinyl Numbers (shown in Granite with Gold vinyl numbers)

R222-3 Raised Cast Numbers


221-3

Vinyl Numbers (shown in Antique Silver with White vinyl numbers)

R221-3

Raised Cast Numbers

Through-the-post Ladder Rests



26

11 ¹/₂" width OA* extends 41/4" past each side of post

17-3

161/2" width OA* extends 63/4" past each side of post

24 1/4" width OA* extends 101/8" past each side of post

* mounted on 3" O.D. post

All finishes available, see page 80.

Signs




Side Mounted Post Signs (One Side Only -3" Dia. Post Included)

Raised cast aluminum lettering (R) in Clarendon Condensed (caps only). Non-raised cast sign have commercial grade vinyl lettering is offered in three styles:

Helvetica, Brush Script or Clarendon Condensed

Lettering is available in three colors: Black, White or Gold



R721 – Raised Cast Lettering **721** – Vinyl Lettering H: 45 ¹/8" x W: 16 ³/4"

R722 – Raised Cast Lettering **722** – Vinyl Lettering H: 45 ¹/8" x W: 17 ³/4"

R723 – Raised Cast Lettering **723** – Vinyl Lettering H: 45 ¹/8" x W: 12"

R725 – Raised Cast Lettering **725** – Vinyl Lettering H: 45 ¹/8" x W: 12 ¹/2"

R726 – Raised Cast Lettering **726** – Vinyl Lettering H: 45 ¹/8" x W: 18 ⁷/16"

R727 – Raised Cast Lettering **727** – Vinyl Lettering H: 45 ¹/8" x W: 4"



Decorative Address Signs

Wall Signs: One piece cast aluminum construction with raised borders and numbers. **Numbers only available in sizes and styles shown.**

All finishes available, see page 80. Predrilled holes and mounting hardware included. Standard: borders and numbers painted gold, contact factory for other finishes.



R629 H: 7" x W: 123/4" – Up to 3 numbers – Shown in Granite



R617 H: 8" x W: 16 3/4" – Up to 5 numbers – Shown in Forest Green



R630 H: 7 3/4" x W: 10" – Up to 3 numbers – Shown in Black



R619
H: 8³/₄" x W: 15"

- Up to 5 numbers –
Shown in Rustic Bronze



R632 H: 7 5/8" x W: 10" – Up to 3 numbers – Shown in Ironstone



R631 H: 8 1/2" x W: 15" – Up to 5 numbers – Shown in Weathered Bronze



R634 H: 7" x W: 10 5/8" – Up to 3 numbers – Shown in Verde



R633H: 7 1/2" x W: 15 3/4"

- Up to 5 numbers Shown in Antique Brass

Wall Signs

Single Sided Wall Signs are handcrafted cast aluminum signs with raised borders and come complete with pre-drilled holes and mounting hardware for flat surface mounting. Please contact factory for more information on letter size and limitations for multiple line imprints.



R222 H: 4"x W: 17³/4" Overall H: 3¹/4" x W: 17" Imprint Area - Raised Cast Lettering -



R221
H: 8" x W: 16³/₄" Overall
H: 5" x W: 14" Imprint Area
- Raised Cast Lettering -



R223
H: 6" x W: 12" Overall
H: 5" x W: 11" Imprint Area
- Raised Cast Lettering -



223
H: 6" x W: 12" Overall
H: 5" x W: 11" Imprint Area
- Vinyl Lettering -



R226/226 H: 8³/₄" x W: 18⁷/₁₆" overall H: 5³/₄" x W: 16¹/₂" Imprint Area - Raised Cast or Vinyl Lettering -



R225 H: 7 1/4" x W: 12 1/2" Overall H: 4 1/2" x W: 10" Imprint Area - Raised Cast Lettering -



 $\begin{array}{c} \text{R227/227} \\ \text{H: } 17^3/_4\text{" x W: 4" Overall} \\ \text{H: } 17\text{" x W: } 3^1/_4\text{" Imprint Area} \\ \text{- Raised Cast or Vinyl Lettering -} \end{array}$



225 H: 7 1/4" x W: 12 1/2" Overall H: 4 1/2" x W: 10" Imprint Area - Vinyl Lettering -

Sign Lettering

Raised cast aluminum lettering (R) in Clarendon Condensed (caps only). Non-raised cast sign have commercial grade vinyl lettering is offered in three styles:

Helvetica, Brush Script or Clarendon Condensed Lettering is available in three colors: Black, White or Gold



Helvetica




Brush Script



Clarendon Condensed

Mailboxes




Mailboxes



Mailboxes


Pine Valley 3" Round Post



Dimensions for mailbox only. 133/8"H x 12"W x 21 1/8"L


Pine Valley 3" Round Post

Pine Valley 4" Square Post



Dimensions for mailbox only. $13^{3}/8"H \times 12"W \times 21^{1}/8"L$

Post Option



S 3" Dia. 4" Sq. Shown in Vintage Copper



Flat Flute Post

F

3" Dia.
Shown in Vintage Copper

Wrap Base



2 Piece Wrap Around Base **A** H: 18" x W: 8" Shown in Vintage Copper



2 Piece Wrap Around Base



ce Wrap Around Base

C
H: 14'/4" x W: 12"
Shown in Granite

C Piece Wrap Around Base
E
H: 19" x W: 8"
Shown in Verde Copper


Shown above are base models. All finishes available, see page 80.

Please contact the factory for more information concerning mailbox options and accessories.




Mailboxes

Oakmont 3" Round Post




Oakmont 3" Round Post



Shown above are base models. All finishes available, see page 80. Please contact the factory for more information concerning mailbox options and accessories.

Muirfield Village 3" Round Post

Dimensions for mailbox only. $11^{1/4}$ H x $9^{5/8}$ W x $20^{1/4}$ L



Dimensions for mailbox only. 85/8" H x 83/4" W x 217/8" L


Optional Mailbox Post Caps



<u>185</u> 16¹/₄"W x 8"H x 3³/₄"D <u>185-1</u> $16^{1/4}$ "W x 13"H x $3^{3/4}$ "D









3" Dia.












PC13-3

3" Dia.



PC3 3" Dia.

Hanover LANTERN Handcrafted in America





LVW131

Construction: Aluminum
Wattage: 18 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available


Dimensions: 83/8"W x 201/4"H

Stem Length: 18"



LVW132

Construction: Aluminum
Wattage: 18 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available





LVW133

Construction: Aluminum
Wattage: 18 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available
Dimensions: 61/4"W x 207/6"H
Stem Length: 18"



LVW134

Construction: Aluminum
Wattage: 18 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available
Dimensions: 65/8"W x 227/8"H

Stem Length: 18"



LVW136

Construction: Aluminum
Wattage: 7 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available
Dimensions: 37/s"W x 11/4"H x 21/4"D



LVW140

Construction: Aluminum
Wattage: 18 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available

Finish: All available Dimensions: $7^{1}/4^{"}W \times 19^{1}/8^{"}H$

Stem Length: 18"



LVW190

Construction: Aluminum
Wattage: 18 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available
Dimensions: 61/4"W x 237/8"H
Stem Length: 18"



LVW191

Construction: Aluminum
Wattage: 18 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available

Finish: All available Dimensions: $6^{1}/4^{"}W \times 21^{1}/8^{"}H$

Stem Length: 18"



LVW6301

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge Lamp: T-5 Xenon (included) Volts: 12 Finish: All available

Dimensions: 81/2"W x 307/8"H Stem Length: 24"

120V also available - 6301 (120V does not include stem)



LVW6302

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12 Finish: All available Dimensions: 121/2"W x 317/8"H

Stem Length: 24"

120V also available - 6302 (120V does not include stem)



LVW6304

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge Lamp: T-5 Xenon (included)

Volts: 12 Finish: All available Dimensions: 111/4"W x 27"H

Stem Length: 24"

120V also available - 6304 (120V does not include stem)



LVW6308

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included) Volts: 12 Finish: All available Dimensions: 165/8"W x 12"H Post: Not included

120V also available - 6308 (120V Post included)



LVW6309

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available Dimensions: $8^{1/2}$ W x $25^{1/2}$ H

Stem Length: 24"

120V also available - 6309 (120V does not include stem)



LVW6310

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included) Volts: 12

Finish: All available Dimensions: 121/2"W x 251/2"H

Stem Length: 24"

120V also available - 6310 (120V does not include stem)



LVW6324

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available

Dimensions: 91/2"W x 297/8"H

Stem Length: 24"

120V also available - 6324 (120V does not include stem)



LVW6325

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available Panels: Opal Acrylic (standard) Dimensions: 12⁷/8" W x 25¹/2" H

Stem Length: 24"

120V also available - 6325 (120V does not include stem)



LVW6327

Construction: Aluminum
Wattage: 18 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)
Volts: 12

Finish: All available Panels: Opal Acrylic (standard) Dimensions: 9"W x 25¹/2" H

Stem Length: 24"

120V also available - 6327 (120V does not include stem)



LVW6328

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available
Panels: Opal Acrylic (standard)
Dimensions: 9"W x 293/4"H

Stem Length: 24"

120V also available - 6328 (120V does not include stem)



LVW6329

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included) Volts: 12

Finish: All available Dimensions: 10³/₄"W x 22"H

Stem Length: 24"

120V also available - 6329 (120V does not include stem)



LVW6336

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available

Panels: Opal Acrylic (standard) Dimensions: 20³/₄"W x 20⁵/₈" H

120V also available - 6336



LVW6314

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available Panels: Opal Acrylic (standard) Dimensions: 8"W x 25¹/2" H

Stem Length: 24"

120V also available - 6314 (120V does not include stem)



LVW6307

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available
Panels: Opal Acrylic (standard)

Dimensions: 8"W x 31¹/8"H Stem Length: 24"

120V also available - 6307 (120V does not include stem)



LVW6352

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available

Panels: Opal Acrylic (standard) Dimensions: $7^{1}/2^{"}W \times 25^{1}/2^{"}H$

Stem Length: 24"

120V also available - 6352 (120V does not include stem)



LVW6315

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available

Panels: Opal Acrylic (standard)
Dimensions: 75/8"W x 33"H

Stem Length: 24"

120V also available - 6315 (120V does not include stem)



LVW6330

Construction: Aluminum
Wattage: 18 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)

Volts: 12 Finish: All available Panels: Opal Acrylic (standard) Dimensions: 6⁷/8"W x 25¹/2" H

Stem Length: 24"

120V also available - 6330 (120V does not include stem)



LVW6331

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)
Volts: 12

Finish: All available
Panels: Opal Acrylic (standard)

Dimensions: $6^7/8''W \times 34^3/4''H$ Stem Length: 24"

120V also available - 6331 (120V does not include stem)



LVW6332

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available
Panels: Opal Acrylic (standard)
Dimensions: 63/8"W x 251/2"H
Stem Length: 24"

120V also available - 6332 (120V does not include stem)



LVW6333

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included) Volts: 12 Finish: All available Panels: Opal Acrylic (standard) Dimensions: 6³/8"W x 33"H

Stem Length: 24"

120V also available - 6333 (120V does not include stem)



LVW6334

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available
Dimensions: 63/4"W x 251/2"H

Stem Length: 24"

120V also available - 6334 (120V does not include stem)



LVW6335

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available Dimensions: $6^{34}/2^{"}W \times 33^{3}/8^{"}H$

Stem Length: 24"

120V also available - 6335 (120V does not include stem)



LVW6368

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available Dimensions: $9^3/4^{\prime\prime}$ W x $36^1/4^{\prime\prime}$ H

Stem Length: 24"

120V also available - 6368 (120V does not include stem)



LVW6369

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available Panels: Opal Acrylic (standard) Dimensions: 93/4"W x 251/2"H

Stem Length: 24"

120V also available - 6369 (120V does not include stem)



LVW6371

Construction: Aluminum
Wattage: 18 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)
Volts: 12
Finish: All available

Panels: Opal Acrylic (standard) Dimensions: $8^{1}/4^{\prime\prime}$ W x $31^{1}/8^{\prime\prime}$ H

Stem Length: 24"

120V also available - 6371 (120V does not include stem)



LVW6372

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)
Volts: 12

Finish: All available
Panels: Opal Acrylic (standard)
Dimensions: 71/4"W x 251/2"H

Stem Length: 24"

120V also available - 6370 (120V does not include stem)



LVW28279

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included) Volts: 12

Finish: All available
Panels: Opalescent Honey
Glass (standard)

Dimensions: 7"W x 265/8"H

Stem Length: 24"

120V also available - 28279



LVW28479

Construction: Aluminum
Wattage: 18 max
Lamp Base: Wedge
Lamp: T-5 Xenon (included)

Volts: 12
Finish: All available
Panels: Opalescent Honey

Glass (standard)
Dimensions: 91/8" W x 301/8" H

Stem Length: 24"

120V also available - 28479



LVW28379

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available
Panels: Opalescent Honey
Glass (standard)

Dimensions: 91/8"W x 301/8"H

Stem Length: 24"

120V also available - 28379



LVW28286

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available Panels: Opalescent Honey

Glass (standard)

Dimensions: 7"W x 30¹/₂"H

Post Length: 24"

120V also available - 28286 (direct burial)

- 28286 (direct burial) 28285 (anchor base)



LVW28485

Construction: Aluminum Wattage: 18 max Lamp Base: Wedge

Lamp: T-5 Xenon (included)

Volts: 12

Finish: All available
Panels: Opalescent Honey
Glass (standard)

Dimensions: 91/8"W x 333/8"H

Post Length: 24"

120V also available - 28485 (anchor base)



6390 (12") - 1/2" NPS Aluminum Pipe (threaded one end, ⁷/8" O.D.) All finishes available

6394 (24") - 1/2" NPS Aluminum Pipe (threaded one end, ⁷/8" O.D.) All finishes available

6393 (36") - 1/2" NPS Aluminum Pipe (threaded one end, 7/8" O.D.) All finishes available

6374 (42") - 3" O.D. Post, All finishes available

6372 - Landscape Post with PVC Cap (BLK PVC - tapped for 1/2" NPT pipe)

LV1 - ABS ground spike 8 1/2" long tapped for 1/2" NPT pipe

LV2 - ABS ground spike 8 1/2" long with slip hole



Panel and Finish Options



(CG) Clear Glass (CA) Clear Acrylic (CP) Clear Polycarbonate



(CBG) Clear Beveled Glass



(OIG) White Iridescent Glass



(CSG) Clear Seeded Glass (CSA) Clear Seeded Acrylic



(OHG) Opalescent Honey Glass



(FG) Frosted Glass



(OA) Opal Acrylic (OP) Opal Polycarbonate



(CTA) Clear Textured Acrylic




(PP) Prismatic Polycarbonate



(LG) Linen Glass Globe



(TPG) Thumb Print Glass Globe



Sample Order

4 B25409 VCP CSA C3

4 - Quantity

B25409 - Model Number

VCP - Finish Code

CSA - Panel/Globe Code

C3 - Wattage, Lamping or other Options



ORDER INFORMATION

To ensure prompt and efficient processing of your order, please follow the sequence on the examples shown

4 B25409 VCP CSA C3

 $\begin{pmatrix} 1 \\ 1 \end{pmatrix}$ $\begin{pmatrix} 2 \\ 2 \end{pmatrix}$



- 1 Quantity of Item
- (2) Model Number (complete)
- (3) Finish Code
- (4) Panel Code
- (5) Wattage/Lamping/Color Temp.

All products are made to order, please consult factory for lead time.


All fixtures are finished with painted candle clusters and sleeves.


Fixture Finish/Color	Cluster and Sleeve Color
Forest Green, Granite Bronze, Brown and Black	Matte Black Finish
Vintage Copper	Brown
Shadow Rust and Ironstone	Rust
White	Finish to Match
All Antique Finishes	Antique Finish to Match

All fasteners are Brass with Black Oxide coating. White finish is supplied with Brass Fasteners.

Helpful sizing for an outdoor lantern

Selecting the correct size lantern can sometimes pose a challenge. Use the following guidelines to help determine what's best for your application.





Residential LED **Lighting Fixtures**

Key Benefits

- Up to 80 Lumens per Watt
- 40,000+ HRS rated system life
- Uses LM80 high performance LED
- Multiple Wattage available 11W, 16W, 19W and 25W Dimmable

-	_	Von	I EU	11/2	rrantv
•		rear	LLU	vva	Hality

Watte	age Equivalent	Wattage Lumens
11W	60W Incand.	880
16W	75W Incand.	1140
19W	120W Incand.	1420
25W	180W Incand.	2090

Manor LED Series































B2520LED

B2521LED

Medium (B4100)

B2510LED



















B4150LED

Other family series available:

Abington Indian Wells Jamestown Jefferson


Plymouth Revere

Stockholm Sturbrigde

Plymouth Value Line - 4 sided Jamestown Value Line - 6 sided


















B55FRMLED









Grande (B6100)



B6117LED





B61FSMLED










B6160LED



ORDERING INFORMATION

B5530LED BLK OA 11 3000K











B61FRMLED





Wattage 11W, 16W, 19W, 25W



Finish (All finishes available)




Color Temperature 3000K, 4000K, 5000K



(See available options)



To ensure prompt and efficient processing of your order, Please follow the sequence listed in the example above. Consult factory for availability.



Handcrafted in America

It's more than a slogan, it's our way.



© 2020 Hanover Lantern

All rights reserved. Certain products illustrated in this catalog may be protected by applicable patents and patent pending. Hanover Lantern will aggressively defend all of its intellectual property. We reserve the right to change details of design, materials and finishes in any way that will not alter installed appearance or reduce function and performance.

Hanover Lantern 425 East Middle Street Hanover, PA 17331 Phone: 717-632-6464 Fax: 717-969-2930

Fax: /1/-909-2930

www.hanoverlantern.com

HA-CR0820-75H

Printed in U.S.A.

